

TEAC

SERVICE MANUAL

A-H300

Integrated Stereo Amplifier

NOTES

- PC boards shown are viewed from parts side.
- The parts with no reference number or no parts number in the exploded views are not supplied.
- As regards the resistors and capacitors, refer to the circuit diagrams contained in this manual.
- A Parts marked with this sign are safety critical components

They must be replaced with identical components- refer to the appropriate parts list and ensure exact replacement.

Parts of [] mark can be used only with the version designated.

[E]: EUROPE

CONTENTS

SPECIFICATIONS · · · · · · · · · · · · · · · · · · ·
IC Function (μ-com BVIANAM1224A) · · · · · · · · · · · · · · · · · · ·
IC BLOCK DIAGRAM · · · · · · · · · · · · · · · · · 4
WIRING DIAGRAM···································
BLOCK DIAGRAM · · · · · · · · · · · · · · · · · · ·
SCHEMATIC DIAGRAM · · · · · · · · · · · · · · · · · · ·
PRINTED CIRCUIT BOARDS · · · · · · · 17
EXPLODED VIEW · · · · · · · · 21
ELECTRICAL PARTS LIST·······24

Specifications

Power output : 35W + 35W

(80 Ω, 1kHz, 0.1%)

Total harmonic distortion: 0.05%

(30W, 1kHz, 8Ω)

S/N Ratio (Input Short)

Phono : 70dB (IHF-A)
CD, Tuner, Aux, Tape : 95dB (IHF-A)

CD direct : 95dB (IHF-A)

Input Sensitivity/Impedance

Phono(MM) : 2.6mV/10k Ω CD, Tuner, Aux, Tape : 180mV/10k Ω

Maximun Input level

Phono : 100mV CD, Tuner, Aux, Tape : 8V

Channel Separation(Input Short): 70dB

(1kHz, 1W, D.B.F)

(1812, 19

Residual noise : 0.9mV

Frequency response : 5Hz to 80kHz

Tone control

Bass : ± 10 dB (100Hz) Treble : ± 10 dB (10kHz)

Required speaker impedance

: 8 Ω to 16 Ω

Power consumption : 85W [EUR]

Power requiremnts : AC 230V, 50Hz [EUR] Dimensions (W \times H \times D) : 215 \times 110 \times 305mm

Weight(net) : 4.2kg

Standard accessories


Remote control unit : 1 Operator's manual : 1

 Improvements may result in specification or feature changes without notice.


IC FUNCTION (MI-COM BVIANAM 1224A)

Pin No.	PIN NAME	I/O	DESCRIPTION			
1	FUNC MUTE	0	Function, Mute ON/OFF Output			
2	-20dB MUTE	0	-20dB Mute ON/OFF Output			
3	POWER MUTE	0	Power Mute Output			
4	SOURCE REC, OUT	0	Source recoding Output			
5	OPTION	ı	Option port "HIGH" LEVEL			
6	OPTION	1	Option port high Level			
7	PROTECT IN	1	Protect Input			
8	STBY	0	Stand by LED ON/OFF Output			
9	POWER ON/OFF	0	Power ON/OFF Output			
10	AUX	0	Function LED ON/OFF Output			
11	PHONO	0	Function LED ON/OFF Output			
12	N/C		Non connection			
13	TUNER					
14	CD		Function LED ON/OFF Output			
15	TAPE 1	0	Function LED ON/OFF Output			
16	TAPE 2/MD					
17	Vss	1	GROUND			
18, 19	N/C	ı	Non connection			
20	RESET	ı	Divice reset pluse input			
21	XL 1	0	Crystal element connection terminal			
22	XL 2	I	Crystal element connection terminal			
23	TAPE 2 → 1	0	TAREL 2 Recording Output			
24	TAPE 2 → 1		TAPE1,2 Recording Output			
25, 26	KEY OUT	0	Kou matrix sings IN/OUT PORT			
27, 28	KEY IN	ı	Key mqtrix singal IN/OUT PORT			
29	TAPE2 REC IN	1	TARES 1 Percenting Innuit			
30	TAPE1 REC IN	1	TAPE2,1 Recording Input			
31	SOURCE REC, OUT	0	Source recoding Output			
32, 34	N/C		Non connection			
33	FUNC DOWN	1	Function LIP/DOWN Input			
35	FUNC UP	1	Function UP/DOWN Input			
36	BUS IN	ı	System control simgal Input			
37	REMOTE IN	ı	Remote control simgal Input			
38	N/C		Non connection			
39	VDD	1	+5V			
40	BUS OUT	0	System control singal Output			
41	N/C		Non connection			
42	VR UP	0	V-L			
43	VR DOWN	0	Volum UP/DOWN Output			
44	CD DIRECT	0	CD Direct led ON/OFF Output			


IC BLOCK DIAGRAM




WIRING DIAGRAM





BLOCK DIAGRAM




SCHEMATIC DIAGRAM










REMOTECONTROL SCHEMATIC DIAGRAM




PRINTED CIRCUIT BOARDS









F	X	Р	L	O	D	E	D	·V	1	E	۷	٧	Р	ŀ	۱	₹	T	S	LI	S	I
_	•		_	•	$\boldsymbol{\smile}$	_	_	•		_	•	•	•	•	••	•	•	_	_		•

		Pagarintian	Remarks
	Part No.	Description DANIEL EDONIT	Helidiks
1	9A06864500	PANEL, FRONT	
2	9A06830500	FRNT, PANEL	
3	9A06863300 9A06862700	INDICATOR, STANDBY KNOB, STANDBY	
4	9A06862500		
5	9400002300	KNOB, STANDBY	
6	9A06863500	WINDOW, SENSOR	
6 7	9A06863400	INDICATOR, FUNCTION	
8	9A06227400	INDICATOR, POWER	
9	9A06862600	KNOB, DIRECT	
10	9A06864900	FRONT PCB ASS'Y	
10	9700004300	THOM TODAGOT	
11	9A06862300	KNOB, POWER	
12	0,100002000	PUSH SWITCH ASS'Y	
13		MOTOR VOLUME	
14		WASHER	
15		NUT	
16		PHONE JACK PCB ASS'Y	
17		LOCKING SUPPORT	
18	9A06224200	BADGE, TEAC	
19	9A06862400	KNOB, ROTARY	
20	9A06866100	BOTTOM CHASSIS ASS'Y	
			0
21	9A06864400	FOOT	
22	9A05837300	FOOT CUSHION	
23	9A06864300	PANEL, REAR	
24		TRANS	
25	9A01375500	PCB HOLDER	·
26	9A06865100	AMP PCB ASS'Y	
27		AC OUTLET PCB ASS'Y	
28	9A06864600	BRACKET, PCB	
29	9A06865000	MAIN PCB ASS'Y	
31	9A06754900	BUSHING, AC CORD	
32	9A05328100	CORD, POWER	
33	9A05917200	GROUND TERMINAL	
34	9A06864200	CABINET, TOP	
36	9A06697200	HOUSING, VOLUME A4-96-2578	
37	9A06677700	VOLUME CAP ASS'Y (A)	
		V0.1445 045 1555	
38	9A06228800	VOLUME CAP ASS'Y	
39	9A06228300	VOLUME CAP ASS'Y (B)	
S1	9A01377400	SCREW, KTB3+10G	
S2	2.22.22.2	SCREW KTS3+6J	
S3	9A06866000	SCREW KTS3+8G	
S4	9A05339200	SCREW KTW3+8J	
S5	9A05338800	SCREW KTB4+6F	
S7	9A05339100	SCREW KTW3+12J	
S8	9A01535800	SCREW, KTB3+8J	I

		TO	\triangle	PAR	TO I	ICT
-1	-()	. I KI	LAI	PAR	151	151

Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
	9A06864900	FRONT PCB ASS'Y	C111, C112	9A06696300	CQ, 0.0056UF J 50V
	9A06866300	PCB, FRONT	C113, C114	9A06695900	CQ, 0.022UF J 50V
N51	9A06866800	WIRE ASS'Y	C117, C118	9A06693600	CE, 47UF H 25V DC
N71	9A06867000	WIRE ASS'Y			
N72	9A06867100	WIRE ASS'Y	IC11	9A05195800	IC, MC4558S
N73	9A06867200	WIRE ASS'Y	1012~1018	9A05971200	IC., LC4966
BN74	9A06867300	WIRE ASS'Y	IC19~IC21	9A05195800	IC, MC4558S
N11	9A05329700	WAFER MOLEX53014-0610	JK10	9A06674900	JACK, BOARD 4R014Z
CN73	9A05329800	WAFER GS, 2M/M, 6P	JK11	9A06864100	TERMINAL, IN/OUT(G)
			JK12	9A06675000	JACK, BOARD 4RO19Z
411, C412	9A06696100	CQ, 0.0047UF J 50V			
413, C414	9A06695900	CQ, 0.022UF J 50V	Q101~Q104	9A05896000	TR., KTC2878B
421, C422	9A06695700	CQ, 0.012UF J 50V	Q107, Q109	9A05196900	TR, KSR1206TA
423, C424	9A06861700	CAP, MYLAR 1H683JZ3	Q111, Q113	9A05196900	TR, KSR1206TA
732	9A06787400	CE, 10UF K 16V DC	Q115, Q211	9A05196900	TR, KSR1206TA
733	9A06693400	CAP, ELECT KCEA1CKS101T	Q123, Q215	9A05196900	TR, KSR1206TA
783, C784	9A06693600	CE, 47UF H 25V DC	Q217, Q219	9A05196900	TR, KSR1206TA
901	9A06692300	CC, 4700PF M F 25V	Q221	9A05196900	TR, KSR1206TA
			Q108, Q112	9A03745200	TR, KSR2206TA
721, D722	9A01390500	DIODE, 1N4148MT	Q114, Q116	9A03745200	TR, KSR2206TA
C71	9A06862000	I.C ANAM 1224A	Q212, Q214	9A03745200	TR, KSR2206TA
C72	9A06757900	IC, PNA4612MOOHB	Q216, Q218	9A03745200	TR, KSR2206TA
C73	9A05195800	IC, MC4558S	Q220, Q222	9A03745200	TR, KSR2206TA
K71	9A06861800	JACK, HEADPHONE			
				9A06865100	AMP PCB ASS'Y
701, Q706	9A03745200	TR, KSR2206TA		9A06866500	PCB, AMP
719	9A05196900	TR, KSR1206TA	BN14	9A06866700	WIRE ASS'Y
721. Q724	9A05196900	TR, KSR1206TA	BN52	9A06866900	WIRE ASS'Y
732, Q733	9A03745200	TR, KSR2206TA			
735~Q738			CN51	9A05894700	WAFER (5P)
741	9A03745200	TR, KSR2206TA	CN72	9A05330500	WAFER KJP09GA47ZG
751	9A05196900	TR, KSR1206TA			
771, Q772	9A03747300	TR, KSB811-YTA	C501, C502	9A06694200	CE, 2.2UF H 50V DC
773, Q774	9A03811700	TR, KSD1021-YTA	C505, C506	9A06693600	CE, 47UF H 25V DC
			C525, C526	9A06693200	CE, 100UF H 16V DC
W 94	9A06867400	WIRE ASS'Y	C527, C528	9A06694500	CE, 4.7UF H 50V DC
W71	9A06326800	SW, ROTARY SRBV14065A	C539, C540	9A06696200	CQ, 0.047UF J 50V
W72	9A06224700	VR, ENCODOR EC16B1210	C903, C905	9A06695900	CQ, 0.022UF J 50V
W91	9A06784700	SW, PUSH (MOMS)	C906, C907	9A06862900	CAP, ELECT TSMK63V472
		-	C908, C909	9A06694200	CE, 2.2UF H 50V DC
7R31, VR32	9A06862100	RES, VARIABLE 01C104Y	C910	9A06693300	CE, 220UF H 16V DC
'R33	9A06673100	RES, VARIABLE 03B104Y	C911, C912	9A06696100	CQ, 0.0047UF J 50V
R74	9A06862200	VOLUME, MOTOR	C927, C928	9A06226700	CE, 1000UF H 25V DC
701	9A05192900	CRYSTAL, DC-D1800	C931, C951	9A06693200	CE, 100UF H 16V DC
	9A05328100	CORD, POWER	C961	9A06696200	CQ, 0.047UF J 50V
	9A06830300	TRANS POWER	C962, C966	9A06693200	CE, 100UF H 16V DC
			C991, C992	9A06695500	CQ, 0.0010UF J 50V
	9A06865000	MAIN PCB ASS'Y			
N11	9A06866600	WIRE ASS'Y	D505, D506	9A05193600	DIODE, ZENER MTZJ15BT
N14	9A05356300	WAFER 04GA 19ZM	D543, D546	9A01390500	DIODE, 1N4148MT
N52	9A05329300	WAFER MOLEX 5267-04A	D901	9A05353100	DIODE, BRIDGE PBPC604F
N71	9A05330900	WAFER MOLEX-53014	D902	9A05987000	DIODE, BRIDGE WO2GF
			10002	3, 100001 000	J. OOL, DITTOGE HOLD

ELECTRICAL PARTS LIST

Ref. No.	Part No.	Description	Ref. No.	Part No.	Description
D961	9A01390500	DIODE, 1N4148MT	Q535, Q536	9A05359700	TR, KTB7780
			Q541, Q542	9A03745100	TR, KSA1175-YTA
ET01	9A05333900	PLATE, EARTH	Q545	9A03745200	TR, KSR2206TA
F901	9A05353400	FUSE F1.6A	Q903	9A03745000	TR, KSC2785-YTA
1061	9A05341500	IC, KA7805-ABTU	Q904, Q905	9A03745100	TR, KSA1175-YTA
JK51	9A06677000	TERMINAL SP	Q907, Q942	9A05196700	TR, KSA916-Y-SHTA
JK52	9A06864000	JACK, BOARD	Q908, Q932	9A05196800	TR, KSC2316-Y-SHTA
JW91, JW92	9A06867600	WIRE ASS'Y	Q931, Q943	9A03745200	TR, KSR2206TA
L537, L538	9A04875100	COIL, DC-D2100	Q961	9A03745200	TR, KSR2206TA
0L66	9A06861900	OUTLET, AC(1P)	Q933, Q941	9A05196900	TR, KSR1206TA
			Q962	9A05196900	TR, KSR1206TA
PW91	9A05329300	WAFER MOLEX 5267-04A			
PW92	9A05329100	WAFER MOLEX 5267-03A	RY51	9A04879000	RELAY, OSA-SS-212DM3
PW93	9A06674400	WAFER	R531, R532	9A06234600	RES, METAL OXIDE FILM
PW94	9A06867400	WIRE ASS'Y	R533, R536	9A06062000	R, CEMENT 0.27 2W
			R537, R538	9A05896400	R., 4.7-OHM, 1W
Q491, Q492	9A05896000	TR., KTC2878B	R761, R762	9A05338200	R, METAL OXIDE FILM 1W 390
Q501, Q502	9A05341600	TR, KSA992-FTA	R921, R922	9A06760900	R, FUSE 0.47 J 1W
Q503, Q504	9A05341600	TR, KSA992-FTA	R961	9A06865900	RES, METAL OXIDE FLIM
Q513, Q514	9A03745000	TR, KSC2785-YTA	TW91	9A06538200	WAFER SYFW800-02P
Q515, Q516	9A03745000	TR, KSC2785-YTA			
Q517, Q518	9A06676000	TR KTD2058Y			
Q529, Q530	9A05196800	TR, KSC2316-Y-SHTA			
Q531, Q532	9A05196700	TR, KSA916-Y-SHTA			
Q533, Q534	9A05359800	TR, KTD9980			
			1		